

Texas Department of Aging and Disability Services  
Approved Diagnostic Codes for Persons with Related Conditions

The following diagnostic codes are found in the *International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), 2015*, and are recognized by the Department of Aging and Disability Services (DADS) as conditions which may qualify an individual as having a related condition as described in federal and state law.

In accordance with the Code of Federal Regulations, Title 42, 435.1010, a related condition is a severe and chronic disability that:

- A. is attributed to:
  - i. cerebral palsy or epilepsy; or
  - ii. any other condition, other than mental illness, found to be closely related to mental retardation because the condition results in impairment of general intellectual functioning or adaptive behavior similar to that of individuals with mental retardation, and requires treatment or services similar to those required for individuals with mental retardation;
- B. is manifested before the individual reaches age 22;
- C. is likely to continue indefinitely; and
- D. results in substantial functional limitation in at least three of the following areas of major life activity:
  - i. self-care;
  - ii. understanding and use of language;
  - iii. learning;
  - iv. mobility;
  - v. self-direction; and
  - vi. capacity for independent living.

A primary diagnosis by a licensed physician (or designee as defined in program rules) of a related condition may be required to meet eligibility for the following Medicaid programs:

- Intermediate Care Facilities for Individuals with an Intellectual Disability or Related Conditions (ICF/IID);
- Community Living Assistance and Support Services (CLASS);
- Home and Community-based Services (HCS);
- Texas Home Living (TxHmL); and
- Deaf Blind with Multiple Disabilities (DBMD).

Please refer to the applicable rules governing those programs for complete information regarding eligibility.

| <b>ICD-10 CM - Diagnosis Code</b> | <b>ICD-10 CM - Diagnosis Description</b>   |
|-----------------------------------|--|
| <b>B91</b>                        | <b>Sequelae of poliomyelitis</b>   |
| <b>C71.1</b>                      | <b>Malignant neoplasm of frontal lobe</b>  |
| <b>C71.2</b>                      | <b>Malignant neoplasm of temporal lobe</b>                                       |
| <b>C71.3</b>                      | <b>Malignant neoplasm of parietal lobe</b>                                       |
| <b>C71.4</b>                      | <b>Malignant neoplasm of occipital lobe</b>                                      |
| <b>C71.5</b>                      | <b>Malignant neoplasm of cerebral ventricle</b>                                  |
| <b>C71.6</b>                      | <b>Malignant neoplasm of cerebellum</b>  |
| <b>C71.7</b>                      | <b>Malignant neoplasm of brain stem</b>  |
| <b>C71.8</b>                      | <b>Malignant neoplasm of overlapping sites of brain</b>                          |
| <b>C71.9</b>                      | <b>Malignant neoplasm of brain, unspecified</b>                                  |
| <b>C79.31</b>                     | <b>Secondary malignant neoplasm of brain</b>                                     |
| <b>C96.0</b>                      | <b>Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis</b> |
| <b>C96.5</b>                      | <b>Multifocal and unisystemic Langerhans-cell histiocytosis</b>                  |
| <b>C96.6</b>                      | <b>Unifocal Langerhans-cell histiocytosis</b>                                    |
| <b>D42.0</b>                      | <b>Neoplasm of uncertain behavior of cerebral meninges</b>                       |
| <b>D42.1</b>                      | <b>Neoplasm of uncertain behavior of spinal meninges</b>                         |
| <b>D42.9</b>                      | <b>Neoplasm of uncertain behavior of meninges, unspecified</b>                   |
| <b>D43.0</b>                      | <b>Neoplasm of uncertain behavior of brain, supratentorial</b>                   |
| <b>D43.1</b>                      | <b>Neoplasm of uncertain behavior of brain, infratentorial</b>                   |
| <b>D43.2</b>                      | <b>Neoplasm of uncertain behavior of brain, unspecified</b>                      |
| <b>D43.4</b>                      | <b>Neoplasm of uncertain behavior of spinal cord</b>                             |
| <b>D44.0</b>                      | <b>Neoplasm of uncertain behavior of thyroid gland</b>                           |
| <b>D44.10</b>                     | <b>Neoplasm of uncertain behavior of unspecified adrenal gland</b>               |
| <b>D44.11</b>                     | <b>Neoplasm of uncertain behavior of right adrenal gland</b>                     |
| <b>D44.12</b>                     | <b>Neoplasm of uncertain behavior of left adrenal gland</b>                      |
| <b>D44.2</b>                      | <b>Neoplasm of uncertain behavior of parathyroid gland</b>                       |
| <b>D44.3</b>                      | <b>Neoplasm of uncertain behavior of pituitary gland</b>                         |
| <b>D44.4</b>                      | <b>Neoplasm of uncertain behavior of craniopharyngeal duct</b>                   |
| <b>D44.5</b>                      | <b>Neoplasm of uncertain behavior of pineal gland</b>                            |
| <b>D44.6</b>                      | <b>Neoplasm of uncertain behavior of carotid body</b>                            |
| <b>D44.7</b>                      | <b>Neoplasm of uncertain behavior of aortic body and other paraganglia</b>       |
| <b>D44.9</b>                      | <b>Neoplasm of uncertain behavior of unspecified endocrine gland</b>             |
| <b>D49.6</b>                      | <b>Neoplasm of unspecified behavior of brain</b>                                 |
| <b>D69.42</b>                     | <b>Congenital and hereditary thrombocytopenia purpura</b>                        |
| <b>D69.49</b>                     | <b>Other primary thrombocytopenia</b>  |
| <b>D82.1</b>                      | <b>Di Georges syndrome</b>   |
| <b>E00.0</b>                      | <b>Congenital iodine-deficiency syndrome, neurological type</b>                  |
| <b>E00.1</b>                      | <b>Congenital iodine-deficiency syndrome, myxedematous type</b>                  |
| <b>E00.2</b>                      | <b>Congenital iodine-deficiency syndrome, mixed type</b>                         |
| <b>E00.9</b>                      | <b>Congenital iodine-deficiency syndrome, unspecified</b>                        |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description                                |
|----------------------------|--|
| E03.0                      | Congenital hypothyroidism with diffuse goiter                    |
| E03.1                      | Congenital hypothyroidism without goiter                         |
| E03.2                      | Hypothyroidism due to medicaments and other exogenous substances |
| E03.3                      | Postinfectious hypothyroidism                                    |
| E03.9                      | Hypothyroidism, unspecified                                      |
| E20.1                      | Pseudohypoparathyroidism   |
| E21.0                      | Primary hyperparathyroidism                                      |
| E21.1                      | Secondary hyperparathyroidism, not elsewhere classified          |
| E21.2                      | Other hyperparathyroidism  |
| E21.3                      | Hyperparathyroidism, unspecified                                 |
| E72.03                     | Lowes syndrome   |
| E72.8                      | Other specified disorders of amino-acid metabolism               |
| E75.00                     | GM2 gangliosidosis, unspecified                                  |
| E75.02                     | Tay-Sachs disease  |
| E75.09                     | Other GM2 gangliosidosis   |
| E75.19                     | Other gangliosidosis   |
| E75.21                     | Fabry (-Anderson) disease  |
| E75.22                     | Gaucher disease  |
| E75.23                     | Krabbe disease   |
| E75.240                    | Niemann-Pick disease type A                                      |
| E75.241                    | Niemann-Pick disease type B                                      |
| E75.242                    | Niemann-Pick disease type C                                      |
| E75.243                    | Niemann-Pick disease type D                                      |
| E75.248                    | Other Niemann-Pick disease                                       |
| E75.249                    | Niemann-Pick disease, unspecified                                |
| E75.25                     | Metachromatic leukodystrophy                                     |
| E75.29                     | Other sphingolipidosis   |
| E75.4                      | Neuronal ceroid lipofuscinosis                                   |
| E76.01                     | Hurlers syndrome   |
| E76.02                     | Hurler-Scheie syndrome   |
| E76.03                     | Scheies syndrome   |
| E76.1                      | Mucopolysaccharidosis, type II                                   |
| E76.210                    | Morquio A mucopolysaccharidoses                                  |
| E76.211                    | Morquio B mucopolysaccharidoses                                  |
| E76.219                    | Morquio mucopolysaccharidoses, unspecified                       |
| E76.22                     | Sanfilippo mucopolysaccharidoses                                 |
| E79.1                      | Lesch-Nyhan syndrome   |
| E79.2                      | Myoadenylate deaminase deficiency                                |
| E79.8                      | Other disorders of purine and pyrimidine metabolism              |
| E83.59                     | Other disorders of calcium metabolism                            |
| E88.9                      | Metabolic disorder, unspecified                                  |
| E89.0                      | Postprocedural hypothyroidism                                    |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| F07.0                      | Personality change due to known physiological condition  |
| F07.81                     | Postconcussional syndrome  |
| F09                        | Unspecified mental disorder due to known physiological condition   |
| F84.0                      | Autistic disorder  |
| F84.2                      | Retts syndrome   |
| F84.3                      | Other childhood disintegrative disorder  |
| F84.5                      | Aspergers Syndrome   |
| F84.8                      | Other pervasive developmental disorders  |
| F84.9                      | Pervasive developmental disorder, unspecified  |
| F95.2                      | Tourettes disorder   |
| G00.9                      | Bacterial meningitis, unspecified  |
| G04.90                     | Encephalitis and encephalomyelitis, unspecified  |
| G04.91                     | Myelitis, unspecified  |
| G05.3                      | Encephalitis and encephalomyelitis in diseases classified elsewhere  |
| G05.4                      | Myelitis in diseases classified elsewhere  |
| G10                        | Huntingtons disease  |
| G11.1                      | Early-onset cerebellar ataxia  |
| G11.3                      | Cerebellar ataxia with defective DNA repair  |
| G12.1                      | Other inherited spinal muscular atrophy  |
| G12.9                      | Spinal muscular atrophy, unspecified   |
| G14                        | Postpolio syndrome   |
| G20                        | Parkinsons disease   |
| G21.11                     | Neuroleptic induced parkinsonism   |
| G21.19                     | Other drug induced secondary parkinsonism  |
| G21.2                      | Secondary parkinsonism due to other external agents  |
| G21.3                      | Postencephalitic parkinsonism  |
| G21.4                      | Vascular parkinsonism  |
| G21.8                      | Other secondary parkinsonism   |
| G21.9                      | Secondary parkinsonism, unspecified  |
| G23.0                      | Hallervorden-Spatz disease   |
| G23.1                      | Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski]   |
| G23.2                      | Striatonigral degeneration   |
| G24.1                      | Genetic torsion dystonia   |
| G31.01                     | Picks disease  |
| G31.81                     | Alpers disease   |
| G31.82                     | Leighs disease   |
| G31.89                     | Other specified degenerative diseases of nervous system  |
| G35                        | Multiple sclerosis   |
| G37.9                      | Demyelinating disease of central nervous system, unspecified   |
| G40.101                    | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, with status epilepticus |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| G40.109                    | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, without status epilepticus  |
| G40.111                    | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, with status epilepticus         |
| G40.119                    | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, without status epilepticus      |
| G40.201                    | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, with status epilepticus    |
| G40.209                    | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus |
| G40.211                    | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, with status epilepticus        |
| G40.219                    | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus     |
| G40.301                    | Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus  |
| G40.309                    | Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus   |
| G40.311                    | Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus  |
| G40.319                    | Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus   |
| G40.401                    | Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus   |
| G40.409                    | Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus  |
| G40.411                    | Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus   |
| G40.419                    | Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus  |
| G40.801                    | Other epilepsy, not intractable, with status epilepticus   |
| G40.802                    | Other epilepsy, not intractable, without status epilepticus  |
| G40.803                    | Other epilepsy, intractable, with status epilepticus   |
| G40.804                    | Other epilepsy, intractable, without status epilepticus  |
| G40.821                    | Epileptic spasms, not intractable, with status epilepticus   |
| G40.822                    | Epileptic spasms, not intractable, without status epilepticus  |
| G40.823                    | Epileptic spasms, intractable, with status epilepticus   |
| G40.824                    | Epileptic spasms, intractable, without status epilepticus  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| G40.901                    | Epilepsy, unspecified, not intractable, with status epilepticus          |
| G40.909                    | Epilepsy, unspecified, not intractable, without status epilepticus       |
| G40.911                    | Epilepsy, unspecified, intractable, with status epilepticus              |
| G40.919                    | Epilepsy, unspecified, intractable, without status epilepticus           |
| G40.A01                    | Absence epileptic syndrome, not intractable, with status epilepticus     |
| G40.A09                    | Absence epileptic syndrome, not intractable, without status epilepticus  |
| G40.A11                    | Absence epileptic syndrome, intractable, with status epilepticus         |
| G40.A19                    | Absence epileptic syndrome, intractable, without status epilepticus      |
| G40.B01                    | Juvenile myoclonic epilepsy, not intractable, with status epilepticus    |
| G40.B09                    | Juvenile myoclonic epilepsy, not intractable, without status epilepticus |
| G40.B11                    | Juvenile myoclonic epilepsy, intractable, with status epilepticus        |
| G40.B19                    | Juvenile myoclonic epilepsy, intractable, without status epilepticus     |
| G50.0                      | Trigeminal neuralgia   |
| G70.00                     | Myasthenia gravis without (acute) exacerbation                           |
| G71.0                      | Muscular dystrophy   |
| G71.11                     | Myotonic muscular dystrophy  |
| G71.2                      | Congenital myopathies  |
| G80.0                      | Spastic quadriplegic cerebral palsy                                      |
| G80.1                      | Spastic diplegic cerebral palsy  |
| G80.2                      | Spastic hemiplegic cerebral palsy  |
| G80.3                      | Athetoid cerebral palsy  |
| G80.8                      | Other cerebral palsy   |
| G80.9                      | Cerebral palsy, unspecified  |
| G81.10                     | Spastic hemiplegia affecting unspecified side                            |
| G81.11                     | Spastic hemiplegia affecting right dominant side                         |
| G81.12                     | Spastic hemiplegia affecting left dominant side                          |
| G81.13                     | Spastic hemiplegia affecting right nondominant side                      |
| G81.14                     | Spastic hemiplegia affecting left nondominant side                       |
| G81.90                     | Hemiplegia, unspecified affecting unspecified side                       |
| G81.91                     | Hemiplegia, unspecified affecting right dominant side                    |
| G81.92                     | Hemiplegia, unspecified affecting left dominant side                     |
| G81.93                     | Hemiplegia, unspecified affecting right nondominant side                 |
| G81.94                     | Hemiplegia, unspecified affecting left nondominant side                  |
| G82.20                     | Paraplegia, unspecified  |
| G82.21                     | Paraplegia, complete   |
| G82.22                     | Paraplegia, incomplete   |
| G82.50                     | Quadriplegia, unspecified  |
| G82.51                     | Quadriplegia, C1-C4 complete   |
| G82.52                     | Quadriplegia, C1-C4 incomplete   |
| G82.53                     | Quadriplegia, C5-C7 complete   |
| G82.54                     | Quadriplegia, C5-C7 incomplete   |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| G83.0                      | Diplegia of upper limbs  |
| G83.10                     | Monoplegia of lower limb affecting unspecified side                        |
| G83.11                     | Monoplegia of lower limb affecting right dominant side                     |
| G83.12                     | Monoplegia of lower limb affecting left dominant side                      |
| G83.13                     | Monoplegia of lower limb affecting right nondominant side                  |
| G83.14                     | Monoplegia of lower limb affecting left nondominant side                   |
| G83.20                     | Monoplegia of upper limb affecting unspecified side                        |
| G83.21                     | Monoplegia of upper limb affecting right dominant side                     |
| G83.22                     | Monoplegia of upper limb affecting left dominant side                      |
| G83.23                     | Monoplegia of upper limb affecting right nondominant side                  |
| G83.24                     | Monoplegia of upper limb affecting left nondominant side                   |
| G83.31                     | Monoplegia, unspecified affecting right dominant side                      |
| G83.32                     | Monoplegia, unspecified affecting left dominant side                       |
| G83.33                     | Monoplegia, unspecified affecting right nondominant side                   |
| G83.34                     | Monoplegia, unspecified affecting left nondominant side                    |
| G83.4                      | Cauda equina syndrome  |
| G83.5                      | Locked-in state  |
| G83.89                     | Other specified paralytic syndromes  |
| G83.9                      | Paralytic syndrome, unspecified  |
| G90.1                      | Familial dysautonomia [Riley-Day]  |
| G91.0                      | Communicating hydrocephalus  |
| G91.1                      | Obstructive hydrocephalus  |
| G93.0                      | Cerebral cysts   |
| G93.1                      | Anoxic brain damage, not elsewhere classified                              |
| G93.40                     | Encephalopathy, unspecified  |
| G93.7                      | Reyes syndrome   |
| G93.9                      | Disorder of brain, unspecified   |
| G94                        | Other disorders of brain in diseases classified elsewhere                  |
| G95.9                      | Disease of spinal cord, unspecified  |
| G96.9                      | Disorder of central nervous system, unspecified                            |
| H47.10                     | unspecified papilledema  |
| H47.619                    | cortical blindness, unspecified site of brain                              |
| H47.639                    | Disorders of visual cortex in (due to) neoplasm, unspecified side of brain |
| H54.0                      | Blindness, both eyes   |
| H54.10                     | Blindness, one eye, low vision other eye, unspecified eyes                 |
| H54.11                     | Blindness, right eye, low vision left eye                                  |
| H54.12                     | Blindness, left eye, low vision right eye                                  |
| H54.2                      | Low vision, both eyes  |
| H54.3                      | Unqualified visual loss, both eyes   |
| H54.40                     | Blindness, one eye, unspecified eye  |
| H54.41                     | Blindness, right eye, normal vision left eye                               |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| H54.42                     | Blindness, left eye, normal vision right eye  |
| H54.50                     | Low vision, one eye, unspecified eye  |
| H54.51                     | Low vision, right eye, normal vision left eye   |
| H54.52                     | Low vision, left eye, normal vision right eye   |
| H54.60                     | Unqualified visual loss, one eye, unspecified   |
| H54.61                     | Unqualified visual loss, right eye, normal vision left eye  |
| H54.62                     | Unqualified visual loss, left eye, normal vision right eye  |
| H54.7                      | Unspecified visual loss   |
| H54.8                      | Legal blindness, as defined in USA  |
| H90.0                      | Conductive hearing loss, bilateral  |
| H90.11                     | Conductive hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side                         |
| H90.12                     | Conductive hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side                          |
| H90.2                      | Conductive hearing loss, unspecified  |
| H90.3                      | Sensorineural hearing loss, bilateral   |
| H90.41                     | Sensorineural hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side                      |
| H90.42                     | Sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side                       |
| H90.5                      | Unspecified sensorineural hearing loss  |
| H90.6                      | Mixed conductive and sensorineural hearing loss, bilateral  |
| H90.71                     | Mixed conductive and sensorineural hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side |
| H90.72                     | Mixed conductive and sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side  |
| H90.8                      | Mixed conductive and sensorineural hearing loss, unspecified  |
| H91.3                      | Deaf nonspeaking, not elsewhere classified  |
| H91.8X1                    | Other specified hearing loss, right ear   |
| H91.8X2                    | Other specified hearing loss, left ear  |
| H91.8X9                    | Other specified hearing loss, unspecified ear   |
| H91.90                     | Unspecified hearing loss, unspecified ear   |
| H91.91                     | Unspecified hearing loss, right ear   |
| H91.92                     | Unspecified hearing loss, left ear  |
| H91.93                     | Unspecified hearing loss, bilateral   |
| I67.9                      | Cerebrovascular disease, unspecified  |
| I69.01                     | Cognitive deficits following nontraumatic subarachnoid hemorrhage   |
| I69.041                    | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side                       |
| I69.042                    | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side                        |
| I69.043                    | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side                   |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| I69.044                    | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side        |
| I69.049                    | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side              |
| I69.051                    | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side         |
| I69.052                    | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side          |
| I69.053                    | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side     |
| I69.054                    | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side      |
| I69.059                    | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side            |
| I69.11                     | Cognitive deficits following nontraumatic intracerebral hemorrhage  |
| I69.141                    | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side          |
| I69.143                    | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side      |
| I69.144                    | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side       |
| I69.149                    | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side             |
| I69.151                    | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side        |
| I69.152                    | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side         |
| I69.153                    | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side    |
| I69.154                    | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side     |
| I69.159                    | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side           |
| I69.21                     | Cognitive deficits following other nontraumatic intracranial hemorrhage   |
| I69.241                    | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side     |
| I69.242                    | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side      |
| I69.243                    | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.244                    | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side  |
| I69.249                    | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side        |
| I69.251                    | Hemiplegia and hemiparesis following other nontraumatic intracranial  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
|                            | hemorrhage affecting right dominant side  |
| I69.252                    | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side      |
| I69.253                    | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.254                    | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side  |
| I69.259                    | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side        |
| I69.31                     | Cognitive deficits following cerebral infarction  |
| I69.341                    | Monoplegia of lower limb following cerebral infarction affecting right dominant side                              |
| I69.342                    | Monoplegia of lower limb following cerebral infarction affecting left dominant side                               |
| I69.343                    | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side                          |
| I69.344                    | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side                           |
| I69.349                    | Monoplegia of lower limb following cerebral infarction affecting unspecified side                                 |
| I69.351                    | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side                            |
| I69.352                    | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side                             |
| I69.353                    | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side                        |
| I69.354                    | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side                         |
| I69.359                    | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side                               |
| I69.81                     | Cognitive deficits following other cerebrovascular disease  |
| I69.841                    | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side                    |
| I69.842                    | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side                     |
| I69.843                    | Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side                |
| I69.844                    | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side                 |
| I69.849                    | Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side                       |
| I69.851                    | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side                  |
| I69.852                    | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side                   |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| I69.853                    | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side       |
| I69.854                    | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side        |
| I69.859                    | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side              |
| I69.91                     | Cognitive deficits following unspecified cerebrovascular disease   |
| I69.941                    | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side       |
| I69.942                    | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side        |
| I69.943                    | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side   |
| I69.944                    | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side    |
| I69.949                    | Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side          |
| I69.951                    | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side     |
| I69.952                    | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side      |
| I69.953                    | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.954                    | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side  |
| I69.959                    | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side        |
| M08.00                     | Unspecified juvenile rheumatoid arthritis of unspecified site  |
| M08.09                     | Unspecified juvenile rheumatoid arthritis, multiple sites  |
| M33.20                     | Polymyositis, organ involvement unspecified  |
| M33.29                     | Polymyositis with other organ involvement  |
| M62.3                      | Immobility syndrome (paraplegic)   |
| P04.3                      | Newborn (suspected to be) affected by maternal use of alcohol  |
| P11.5                      | Birth injury to spine and spinal cord  |
| P35.0                      | Congenital rubella syndrome  |
| P84                        | Other problems with newborn  |
| P90                        | Convulsions of newborn   |
| Q01.0                      | Frontal encephalocele  |
| Q01.1                      | Nasofrontal encephalocele  |
| Q01.2                      | Occipital encephalocele  |
| Q01.8                      | Encephalocele of other sites   |
| Q01.9                      | Encephalocele, unspecified   |
| Q03.0                      | Malformations of aqueduct of Sylvius   |
| Q03.1                      | Atresia of foramina of Magendie and Luschka  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| Q03.8                      | Other congenital hydrocephalus  |
| Q03.9                      | Congenital hydrocephalus, unspecified                                     |
| Q04.1                      | Arhinencephaly  |
| Q04.2                      | Holoprosencephaly   |
| Q04.3                      | Other reduction deformities of brain                                      |
| Q04.9                      | Congenital malformation of brain, unspecified                             |
| Q05.0                      | Cervical spina bifida with hydrocephalus                                  |
| Q05.1                      | Thoracic spina bifida with hydrocephalus                                  |
| Q05.2                      | Lumbar spina bifida with hydrocephalus                                    |
| Q05.4                      | Unspecified spina bifida with hydrocephalus                               |
| Q05.5                      | Cervical spina bifida without hydrocephalus                               |
| Q05.6                      | Thoracic spina bifida without hydrocephalus                               |
| Q05.7                      | Lumbar spina bifida without hydrocephalus                                 |
| Q05.9                      | Spina bifida, unspecified   |
| Q06.9                      | Congenital malformation of spinal cord, unspecified                       |
| Q07.8                      | Other specified congenital malformations of nervous system                |
| Q07.9                      | Congenital malformation of nervous system, unspecified                    |
| Q15.8                      | Other specified congenital malformations of eye                           |
| Q18.8                      | Other specified congenital malformations of face and neck                 |
| Q27.8                      | Other specified congenital malformations of peripheral vascular system    |
| Q28.8                      | Other specified congenital malformations of circulatory system            |
| Q34.8                      | Other specified congenital malformations of respiratory system            |
| Q40.2                      | Other specified congenital malformations of stomach                       |
| Q40.8                      | Other specified congenital malformations of upper alimentary tract        |
| Q43.8                      | Other specified congenital malformations of intestine                     |
| Q52.8                      | Other specified congenital malformations of female genitalia              |
| Q55.8                      | Other specified congenital malformations of male genital organs           |
| Q62.2                      | Congenital megaureter   |
| Q63.8                      | Other specified congenital malformations of kidney                        |
| Q68.8                      | Other specified congenital musculoskeletal deformities                    |
| Q69.9                      | Polydactyly, unspecified  |
| Q71.10                     | Congenital absence of unspecified upper arm and forearm with hand present |
| Q71.11                     | Congenital absence of right upper arm and forearm with hand present       |
| Q71.12                     | Congenital absence of left upper arm and forearm with hand present        |
| Q71.13                     | Congenital absence of upper arm and forearm with hand present, bilateral  |
| Q71.20                     | Congenital absence of both forearm and hand, unspecified upper limb       |
| Q71.21                     | Congenital absence of both forearm and hand, right upper limb             |
| Q71.22                     | Congenital absence of both forearm and hand, left upper limb              |
| Q71.23                     | Congenital absence of both forearm and hand, bilateral                    |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| Q74.3                      | Arthrogryposis multiplex congenita  |
| Q74.8                      | Other specified congenital malformations of limb(s)                           |
| Q75.0                      | Craniosynostosis  |
| Q75.1                      | Craniofacial dysostosis   |
| Q75.2                      | Hypertelorism   |
| Q75.8                      | Other specified congenital malformations of skull and face bones              |
| Q77.0                      | Achondrogenesis   |
| Q77.1                      | Thanatophoric short stature   |
| Q77.3                      | Chondrodysplasia punctata   |
| Q77.5                      | Diastrophic dysplasia   |
| Q78.0                      | Osteogenesis imperfecta   |
| Q78.5                      | Metaphyseal dysplasia   |
| Q78.8                      | Other specified osteochondrodysplasias  |
| Q78.9                      | Osteochondrodysplasia, unspecified  |
| Q85.00                     | Neurofibromatosis, unspecified  |
| Q85.01                     | Neurofibromatosis, type 1   |
| Q85.02                     | Neurofibromatosis, type 2   |
| Q85.03                     | Schwannomatosis   |
| Q85.09                     | Other neurofibromatosis   |
| Q85.1                      | Tuberous sclerosis  |
| Q86.0                      | Fetal alcohol syndrome (dysmorphic)   |
| Q86.8                      | Other congenital malformation syndromes due to known exogenous causes         |
| Q87.0                      | Congenital malformation syndromes predominantly affecting facial appearance   |
| Q87.1                      | Congenital malformation syndromes predominantly associated with short stature |
| Q87.2                      | Congenital malformation syndromes predominantly involving limbs               |
| Q87.3                      | Congenital malformation syndromes involving early overgrowth                  |
| Q87.40                     | Marfans syndrome, unspecified   |
| Q87.410                    | Marfans syndrome with aortic dilation   |
| Q87.418                    | Marfans syndrome with other cardiovascular manifestations                     |
| Q87.42                     | Marfans syndrome with ocular manifestations                                   |
| Q87.43                     | Marfans syndrome with skeletal manifestation                                  |
| Q87.5                      | Other congenital malformation syndromes with other skeletal changes           |
| Q87.81                     | Alport syndrome   |
| Q87.89                     | Other specified congenital malformation syndromes, not elsewhere classified   |
| Q89.3                      | Situs inversus  |
| Q89.7                      | Multiple congenital malformations, not elsewhere classified                   |
| Q89.8                      | Other specified congenital malformations                                      |
| Q90.0                      | Trisomy 21, nonmosaicism (meiotic nondisjunction)                             |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| Q90.1                      | Trisomy 21, mosaicism (mitotic nondisjunction)   |
| Q90.2                      | Trisomy 21, translocation  |
| Q90.9                      | Down syndrome, unspecified   |
| Q91.0                      | Trisomy 18, nonmosaicism (meiotic nondisjunction)                                      |
| Q91.1                      | Trisomy 18, mosaicism (mitotic nondisjunction)   |
| Q91.2                      | Trisomy 18, translocation  |
| Q91.3                      | Trisomy 18, unspecified  |
| Q91.4                      | Trisomy 13, nonmosaicism (meiotic nondisjunction)                                      |
| Q91.5                      | Trisomy 13, mosaicism (mitotic nondisjunction)   |
| Q91.6                      | Trisomy 13, translocation  |
| Q91.7                      | Trisomy 13, unspecified  |
| Q92.8                      | Other specified trisomies and partial trisomies of autosomes                           |
| Q93.3                      | Deletion of short arm of chromosome 4  |
| Q93.4                      | Deletion of short arm of chromosome 5  |
| Q93.5                      | Other deletions of part of a chromosome  |
| Q93.7                      | Deletions with other complex rearrangements  |
| Q93.81                     | Velo-cardio-facial syndrome  |
| Q93.88                     | Other microdeletions   |
| Q93.89                     | Other deletions from the autosomes   |
| Q93.9                      | Deletion from autosomes, unspecified   |
| Q96.0                      | Karyotype 45, X  |
| Q96.4                      | Mosaicism, 45, X/other cell line(s) with abnormal sex chromosome                       |
| Q96.8                      | Other variants of Turners syndrome   |
| Q96.9                      | Turners syndrome, unspecified  |
| Q98.0                      | Klinefelter syndrome karyotype 47, XXY   |
| Q98.1                      | Klinefelter syndrome, male with more than two X chromosomes                            |
| Q98.4                      | Klinefelter syndrome, unspecified  |
| Q99.2                      | Fragile X chromosome   |
| Q99.8                      | Other specified chromosome abnormalities   |
| Q99.9                      | Chromosomal abnormality, unspecified   |
| S01.101A                   | Unspecified open wound of right eyelid and periocular area, initial encounter          |
| S01.101D                   | Unspecified open wound of right eyelid and periocular area, subsequent encounter       |
| S01.101S                   | Unspecified open wound of right eyelid and periocular area, sequela                    |
| S01.102A                   | Unspecified open wound of left eyelid and periocular area, initial encounter           |
| S01.102S                   | Unspecified open wound of left eyelid and periocular area, sequela                     |
| S01.109A                   | Unspecified open wound of unspecified eyelid and periocular area, initial encounter    |
| S01.109D                   | Unspecified open wound of unspecified eyelid and periocular area, subsequent encounter |
| S01.109S                   | Unspecified open wound of unspecified eyelid and periocular area,                      |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
|                            | sequela  |
| S01.111A                   | Laceration without foreign body of right eyelid and periocular area, initial encounter           |
| S01.112A                   | Laceration without foreign body of left eyelid and periocular area, initial encounter            |
| S01.119A                   | Laceration without foreign body of unspecified eyelid and periocular area, initial encounter     |
| S01.121A                   | Laceration with foreign body of right eyelid and periocular area, initial encounter              |
| S01.121D                   | Laceration with foreign body of right eyelid and periocular area, subsequent encounter           |
| S01.121S                   | Laceration with foreign body of right eyelid and periocular area, sequela                        |
| S01.122A                   | Laceration with foreign body of left eyelid and periocular area, initial encounter               |
| S01.122D                   | Laceration with foreign body of left eyelid and periocular area, subsequent encounter            |
| S01.122S                   | Laceration with foreign body of left eyelid and periocular area, sequela                         |
| S01.129A                   | Laceration with foreign body of unspecified eyelid and periocular area, initial encounter        |
| S01.129D                   | Laceration with foreign body of unspecified eyelid and periocular area, subsequent encounter     |
| S01.129S                   | Laceration with foreign body of unspecified eyelid and periocular area, sequela                  |
| S01.131A                   | Puncture wound without foreign body of right eyelid and periocular area, initial encounter       |
| S01.132A                   | Puncture wound without foreign body of left eyelid and periocular area, initial encounter        |
| S01.139A                   | Puncture wound without foreign body of unspecified eyelid and periocular area, initial encounter |
| S01.141A                   | Puncture wound with foreign body of right eyelid and periocular area, initial encounter          |
| S01.142A                   | Puncture wound with foreign body of left eyelid and periocular area, initial encounter           |
| S01.149A                   | Puncture wound with foreign body of unspecified eyelid and periocular area, initial encounter    |
| S01.151A                   | Open bite of right eyelid and periocular area, initial encounter                                 |
| S01.151D                   | Open bite of right eyelid and periocular area, subsequent encounter                              |
| S01.151S                   | Open bite of right eyelid and periocular area, sequela   |
| S01.152A                   | Open bite of left eyelid and periocular area, initial encounter                                  |
| S01.152D                   | Open bite of left eyelid and periocular area, subsequent encounter                               |
| S01.152S                   | Open bite of left eyelid and periocular area, sequela  |
| S01.159A                   | Open bite of unspecified eyelid and periocular area, initial encounter                           |
| S01.159D                   | Open bite of unspecified eyelid and periocular area, subsequent                                  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
|                            | encounter   |
| S01.159S                   | Open bite of unspecified eyelid and periorcular area, sequela   |
| S01.90xA                   | Unspecified open wound of unspecified part of head, initial encounter                                       |
| S02.0xxA                   | Fracture of vault of skull, initial encounter for closed fracture   |
| S02.0xxB                   | Fracture of vault of skull, initial encounter for open fracture   |
| S02.10xA                   | Unspecified fracture of base of skull, initial encounter for closed fracture                                |
| S02.10xB                   | Unspecified fracture of base of skull, initial encounter for open fracture                                  |
| S02.110A                   | Type I occipital condyle fracture, initial encounter for closed fracture                                    |
| S02.110B                   | Type I occipital condyle fracture, initial encounter for open fracture                                      |
| S02.111A                   | Type II occipital condyle fracture, initial encounter for closed fracture                                   |
| S02.111B                   | Type II occipital condyle fracture, initial encounter for open fracture                                     |
| S02.112A                   | Type III occipital condyle fracture, initial encounter for closed fracture                                  |
| S02.112B                   | Type III occipital condyle fracture, initial encounter for open fracture                                    |
| S02.118A                   | Other fracture of occiput, initial encounter for closed fracture  |
| S02.118B                   | Other fracture of occiput, initial encounter for open fracture  |
| S02.119A                   | Unspecified fracture of occiput, initial encounter for closed fracture                                      |
| S02.19xA                   | Other fracture of base of skull, initial encounter for closed fracture                                      |
| S02.19xB                   | Other fracture of base of skull, initial encounter for open fracture  |
| S02.8xxA                   | Fractures of other specified skull and facial bones, initial encounter for closed fracture                  |
| S02.8xxB                   | Fractures of other specified skull and facial bones, initial encounter for open fracture                    |
| S02.8xxD                   | Fractures of other specified skull and facial bones, subsequent encounter for fracture with routine healing |
| S02.8xxG                   | Fractures of other specified skull and facial bones, subsequent encounter for fracture with delayed healing |
| S02.8xxK                   | Fractures of other specified skull and facial bones, subsequent encounter for fracture with nonunion        |
| S02.8xxS                   | Fractures of other specified skull and facial bones, sequela  |
| S02.91xA                   | Unspecified fracture of skull, initial encounter for closed fracture  |
| S02.91xB                   | Unspecified fracture of skull, initial encounter for open fracture  |
| S02.92xA                   | Unspecified fracture of facial bones, initial encounter for closed fracture                                 |
| S02.92xB                   | Unspecified fracture of facial bones, initial encounter for open fracture                                   |
| S02.92xD                   | Unspecified fracture of facial bones, subsequent encounter for fracture with routine healing                |
| S02.92xG                   | Unspecified fracture of facial bones, subsequent encounter for fracture with delayed healing                |
| S02.92xK                   | Unspecified fracture of facial bones, subsequent encounter for fracture with nonunion                       |
| S04.011A                   | Injury of optic nerve, right eye, initial encounter   |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S04.011D                   | Injury of optic nerve, right eye, subsequent encounter                    |
| S04.011S                   | Injury of optic nerve, right eye, sequela                                 |
| S04.012A                   | Injury of optic nerve, left eye, initial encounter                        |
| S04.012D                   | Injury of optic nerve, left eye, subsequent encounter                     |
| S04.012S                   | Injury of optic nerve, left eye, sequela                                  |
| S04.019A                   | Injury of optic nerve, unspecified eye, initial encounter                 |
| S04.019D                   | Injury of optic nerve, unspecified eye, subsequent encounter              |
| S04.019S                   | Injury of optic nerve, unspecified eye, sequela                           |
| S04.02xA                   | Injury of optic chiasm, initial encounter                                 |
| S04.02xD                   | Injury of optic chiasm, subsequent encounter                              |
| S04.02xS                   | Injury of optic chiasm, sequela   |
| S04.031A                   | Injury of optic tract and pathways, right eye, initial encounter          |
| S04.031D                   | Injury of optic tract and pathways, right eye, subsequent encounter       |
| S04.031S                   | Injury of optic tract and pathways, right eye, sequela                    |
| S04.032A                   | Injury of optic tract and pathways, left eye, initial encounter           |
| S04.032D                   | Injury of optic tract and pathways, left eye, subsequent encounter        |
| S04.032S                   | Injury of optic tract and pathways, left eye, sequela                     |
| S04.039A                   | Injury of optic tract and pathways, unspecified eye, initial encounter    |
| S04.039D                   | Injury of optic tract and pathways, unspecified eye, subsequent encounter |
| S04.039S                   | Injury of optic tract and pathways, unspecified eye, sequela              |
| S04.041A                   | Injury of visual cortex, right eye, initial encounter                     |
| S04.041D                   | Injury of visual cortex, right eye, subsequent encounter                  |
| S04.041S                   | Injury of visual cortex, right eye, sequela                               |
| S04.042A                   | Injury of visual cortex, left eye, initial encounter                      |
| S04.042D                   | Injury of visual cortex, left eye, subsequent encounter                   |
| S04.042S                   | Injury of visual cortex, left eye, sequela                                |
| S04.049A                   | Injury of visual cortex, unspecified eye, initial encounter               |
| S04.049D                   | Injury of visual cortex, unspecified eye, subsequent encounter            |
| S04.049S                   | Injury of visual cortex, unspecified eye, sequela                         |
| S04.10xA                   | Injury of oculomotor nerve, unspecified side, initial encounter           |
| S04.10xD                   | Injury of oculomotor nerve, unspecified side, subsequent encounter        |
| S04.10xS                   | Injury of oculomotor nerve, unspecified side, sequela                     |
| S04.11xA                   | Injury of oculomotor nerve, right side, initial encounter                 |
| S04.11xD                   | Injury of oculomotor nerve, right side, subsequent encounter              |
| S04.11xS                   | Injury of oculomotor nerve, right side, sequela                           |
| S04.12xA                   | Injury of oculomotor nerve, left side, initial encounter                  |
| S04.20xA                   | Injury of trochlear nerve, unspecified side, initial encounter            |
| S04.20xD                   | Injury of trochlear nerve, unspecified side, subsequent encounter         |
| S04.20xS                   | Injury of trochlear nerve, unspecified side, sequela                      |
| S04.21xA                   | Injury of trochlear nerve, right side, initial encounter                  |
| S04.21xD                   | Injury of trochlear nerve, right side, subsequent encounter               |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description                                  |
|----------------------------|--|
| S04.21xS                   | Injury of trochlear nerve, right side, sequela                     |
| S04.22xA                   | Injury of trochlear nerve, left side, initial encounter            |
| S04.22xD                   | Injury of trochlear nerve, left side, subsequent encounter         |
| S04.22xS                   | Injury of trochlear nerve, left side, sequela                      |
| S04.30xA                   | Injury of trigeminal nerve, unspecified side, initial encounter    |
| S04.30xD                   | Injury of trigeminal nerve, unspecified side, subsequent encounter |
| S04.30xS                   | Injury of trigeminal nerve, unspecified side, sequela              |
| S04.31xA                   | Injury of trigeminal nerve, right side, initial encounter          |
| S04.31xD                   | Injury of trigeminal nerve, right side, subsequent encounter       |
| S04.31xS                   | Injury of trigeminal nerve, right side, sequela                    |
| S04.32xA                   | Injury of trigeminal nerve, left side, initial encounter           |
| S04.32xD                   | Injury of trigeminal nerve, left side, subsequent encounter        |
| S04.32xS                   | Injury of trigeminal nerve, left side, sequela                     |
| S04.40xA                   | Injury of abducent nerve, unspecified side, initial encounter      |
| S04.40xD                   | Injury of abducent nerve, unspecified side, subsequent encounter   |
| S04.40xS                   | Injury of abducent nerve, unspecified side, sequela                |
| S04.41xA                   | Injury of abducent nerve, right side, initial encounter            |
| S04.41xD                   | Injury of abducent nerve, right side, subsequent encounter         |
| S04.41xS                   | Injury of abducent nerve, right side, sequela                      |
| S04.42xA                   | Injury of abducent nerve, left side, initial encounter             |
| S04.42xD                   | Injury of abducent nerve, left side, subsequent encounter          |
| S04.42xS                   | Injury of abducent nerve, left side, sequela                       |
| S04.50xA                   | Injury of facial nerve, unspecified side, initial encounter        |
| S04.50xD                   | Injury of facial nerve, unspecified side, subsequent encounter     |
| S04.50xS                   | Injury of facial nerve, unspecified side, sequela                  |
| S04.51xA                   | Injury of facial nerve, right side, initial encounter              |
| S04.51xD                   | Injury of facial nerve, right side, subsequent encounter           |
| S04.51xS                   | Injury of facial nerve, right side, sequela                        |
| S04.52xA                   | Injury of facial nerve, left side, initial encounter               |
| S04.52xD                   | Injury of facial nerve, left side, subsequent encounter            |
| S04.52xS                   | Injury of facial nerve, left side, sequela                         |
| S04.60xD                   | Injury of acoustic nerve, unspecified side, subsequent encounter   |
| S04.60xS                   | Injury of acoustic nerve, unspecified side, sequela                |
| S04.61xA                   | Injury of acoustic nerve, right side, initial encounter            |
| S04.61xD                   | Injury of acoustic nerve, right side, subsequent encounter         |
| S04.61xS                   | Injury of acoustic nerve, right side, sequela                      |
| S04.62xA                   | Injury of acoustic nerve, left side, initial encounter             |
| S04.62xD                   | Injury of acoustic nerve, left side, subsequent encounter          |
| S04.62xS                   | Injury of acoustic nerve, left side, sequela                       |
| S04.70xA                   | Injury of accessory nerve, unspecified side, initial encounter     |
| S04.70xD                   | Injury of accessory nerve, unspecified side, subsequent encounter  |
| S04.70xS                   | Injury of accessory nerve, unspecified side, sequela               |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| S04.71xA                   | Injury of accessory nerve, right side, initial encounter                                       |
| S04.71xD                   | Injury of accessory nerve, right side, subsequent encounter                                    |
| S04.71xS                   | Injury of accessory nerve, right side, sequela   |
| S04.72xA                   | Injury of accessory nerve, left side, initial encounter  |
| S04.72xD                   | Injury of accessory nerve, left side, subsequent encounter                                     |
| S04.72xS                   | Injury of accessory nerve, left side, sequela  |
| S04.811A                   | Injury of olfactory [1st ] nerve, right side, initial encounter                                |
| S04.811D                   | Injury of olfactory [1st ] nerve, right side, subsequent encounter                             |
| S04.811S                   | Injury of olfactory [1st ] nerve, right side, sequela  |
| S04.812A                   | Injury of olfactory [1st ] nerve, left side, initial encounter                                 |
| S04.812D                   | Injury of olfactory [1st ] nerve, left side, subsequent encounter                              |
| S04.812S                   | Injury of olfactory [1st ] nerve, left side, sequela   |
| S04.819A                   | Injury of olfactory [1st ] nerve, unspecified side, initial encounter                          |
| S04.819D                   | Injury of olfactory [1st ] nerve, unspecified side, subsequent encounter                       |
| S04.819S                   | Injury of olfactory [1st ] nerve, unspecified side, sequela                                    |
| S04.891A                   | Injury of other cranial nerves, right side, initial encounter                                  |
| S04.891D                   | Injury of other cranial nerves, right side, subsequent encounter                               |
| S04.891S                   | Injury of other cranial nerves, right side, sequela  |
| S04.892A                   | Injury of other cranial nerves, left side, initial encounter                                   |
| S04.892D                   | Injury of other cranial nerves, left side, subsequent encounter                                |
| S04.892S                   | Injury of other cranial nerves, left side, sequela   |
| S04.899A                   | Injury of other cranial nerves, unspecified side, initial encounter                            |
| S04.899D                   | Injury of other cranial nerves, unspecified side, subsequent encounter                         |
| S04.899S                   | Injury of other cranial nerves, unspecified side, sequela                                      |
| S04.9xxA                   | Injury of unspecified cranial nerve, initial encounter   |
| S04.9xxD                   | Injury of unspecified cranial nerve, subsequent encounter                                      |
| S04.9xxS                   | Injury of unspecified cranial nerve, sequela   |
| S05.40xA                   | Penetrating wound of orbit with or without foreign body, unspecified eye, initial encounter    |
| S05.40xD                   | Penetrating wound of orbit with or without foreign body, unspecified eye, subsequent encounter |
| S05.40xS                   | Penetrating wound of orbit with or without foreign body, unspecified eye, sequela              |
| S05.41xA                   | Penetrating wound of orbit with or without foreign body, right eye, initial encounter          |
| S05.42xA                   | Penetrating wound of orbit with or without foreign body, left eye, initial encounter           |
| S05.50xA                   | Penetrating wound with foreign body of unspecified eyeball, initial encounter                  |
| S05.50xD                   | Penetrating wound with foreign body of unspecified eyeball, subsequent encounter               |
| S05.50xS                   | Penetrating wound with foreign body of unspecified eyeball, sequela                            |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S05.51xA                   | Penetrating wound with foreign body of right eyeball, initial encounter   |
| S05.51xD                   | Penetrating wound with foreign body of right eyeball, subsequent encounter  |
| S05.51xS                   | Penetrating wound with foreign body of right eyeball, sequela   |
| S05.52xA                   | Penetrating wound with foreign body of left eyeball, initial encounter  |
| S05.52xD                   | Penetrating wound with foreign body of left eyeball, subsequent encounter   |
| S05.52xS                   | Penetrating wound with foreign body of left eyeball, sequela  |
| S06.0X0A                   | Concussion without loss of consciousness, initial encounter   |
| S06.0X0D                   | Concussion without loss of consciousness, subsequent encounter  |
| S06.0X0S                   | Concussion without loss of consciousness, sequela   |
| S06.0X1A                   | Concussion with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.0X1D                   | Concussion with loss of consciousness of 30 minutes or less, subsequent encounter   |
| S06.0X1S                   | Concussion with loss of consciousness of 30 minutes or less, sequela  |
| S06.0X2A                   | Concussion with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.0X2D                   | Concussion with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter   |
| S06.0X2S                   | Concussion with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.0X3A                   | Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter  |
| S06.0X4A                   | Concussion with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.0X4D                   | Concussion with loss of consciousness of 6 hours to 24 hours, subsequent encounter  |
| S06.0X5A                   | Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                              |
| S06.0X5D                   | Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                           |
| S06.0X5S                   | Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.0X6A                   | Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.0X6D                   | Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.0X6S                   | Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.0X9A                   | Concussion with loss of consciousness of unspecified duration, initial encounter  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| S06.0X9D                   | Concussion with loss of consciousness of unspecified duration, subsequent encounter  |
| S06.0X9S                   | Concussion with loss of consciousness of unspecified duration, sequela   |
| S06.310A                   | Contusion and laceration of right cerebrum without loss of consciousness, initial encounter  |
| S06.310D                   | Contusion and laceration of right cerebrum without loss of consciousness, subsequent encounter   |
| S06.310S                   | Contusion and laceration of right cerebrum without loss of consciousness, sequela  |
| S06.311A                   | Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.311D                   | Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter  |
| S06.311S                   | Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, sequela   |
| S06.312A                   | Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.312D                   | Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter  |
| S06.312S                   | Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.313A                   | Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.313D                   | Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter  |
| S06.313S                   | Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.314A                   | Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.314D                   | Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter   |
| S06.314S                   | Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.315A                   | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.315D                   | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                        |
| S06.315S                   | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                                     |
| S06.316A                   | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S06.316D                   | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.316S                   | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.319A                   | Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, initial encounter  |
| S06.319D                   | Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.319S                   | Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, sequela  |
| S06.320A                   | Contusion and laceration of left cerebrum without loss of consciousness, initial encounter  |
| S06.320D                   | Contusion and laceration of left cerebrum without loss of consciousness, subsequent encounter   |
| S06.320S                   | Contusion and laceration of left cerebrum without loss of consciousness, sequela  |
| S06.321A                   | Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.321D                   | Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter  |
| S06.321S                   | Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, sequela   |
| S06.322A                   | Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.322D                   | Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter  |
| S06.322S                   | Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.323A                   | Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.323D                   | Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter  |
| S06.323S                   | Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.324A                   | Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.324D                   | Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter   |
| S06.324S                   | Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.325A                   | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                               |
| S06.325D                   | Contusion and laceration of left cerebrum with loss of consciousness  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
|                            | greater than 24 hours with return to pre-existing conscious level, subsequent encounter  |
| S06.325S                   | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.326A                   | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.326D                   | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.326S                   | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.329A                   | Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, initial encounter  |
| S06.329D                   | Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.329S                   | Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, sequela  |
| S06.330A                   | Contusion and laceration of cerebrum, unspecified, without loss of consciousness, initial encounter  |
| S06.330D                   | Contusion and laceration of cerebrum, unspecified, without loss of consciousness, subsequent encounter   |
| S06.330S                   | Contusion and laceration of cerebrum, unspecified, without loss of consciousness, sequela  |
| S06.331A                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.331D                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, subsequent encounter  |
| S06.331S                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela   |
| S06.332A                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.332D                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter  |
| S06.332S                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.333A                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.333D                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter  |
| S06.333S                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.334A                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S06.334D                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, subsequent encounter  |
| S06.334S                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.335A                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                              |
| S06.335D                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                           |
| S06.335S                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.336A                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.336D                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.336S                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.339A                   | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter  |
| S06.340A                   | Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter   |
| S06.340D                   | Traumatic hemorrhage of right cerebrum without loss of consciousness, subsequent encounter  |
| S06.340S                   | Traumatic hemorrhage of right cerebrum without loss of consciousness, sequela   |
| S06.341A                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.341D                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter   |
| S06.341S                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, sequela  |
| S06.342A                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.342D                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter   |
| S06.342S                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.343A                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter   |
| S06.343D                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S06.343S                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela   |
| S06.344A                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.344D                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter  |
| S06.344S                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.345A                   | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                              |
| S06.345D                   | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                           |
| S06.345S                   | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.346A                   | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.346D                   | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.346S                   | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.349A                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, initial encounter  |
| S06.349D                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.349S                   | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, sequela  |
| S06.350A                   | Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter  |
| S06.351A                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.351D                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter  |
| S06.351S                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, sequela   |
| S06.352A                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.352D                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter  |
| S06.352S                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela   |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| S06.353A                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter   |
| S06.353D                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter  |
| S06.353S                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela   |
| S06.354A                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.354D                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter  |
| S06.354S                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.355A                   | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                              |
| S06.355D                   | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                           |
| S06.355S                   | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.356A                   | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.356D                   | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.356S                   | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.359A                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, initial encounter  |
| S06.359D                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.359S                   | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, sequela  |
| S06.360A                   | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter  |
| S06.360D                   | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, subsequent encounter   |
| S06.360S                   | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, sequela  |
| S06.361A                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.361D                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, subsequent encounter  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S06.361S                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela  |
| S06.362A                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.362D                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter   |
| S06.362S                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.363A                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter   |
| S06.363D                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter  |
| S06.363S                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela   |
| S06.364A                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.364D                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, subsequent encounter  |
| S06.364S                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.365A                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                              |
| S06.365D                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                           |
| S06.365S                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.366A                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.366D                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.366S                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.367A                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter                |
| S06.368A                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter                 |
| S06.369A                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of   |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
|                            | consciousness of unspecified duration, initial encounter   |
| S06.369D                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, subsequent encounter  |
| S06.369S                   | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela   |
| S06.370A                   | Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, initial encounter   |
| S06.370D                   | Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, subsequent encounter  |
| S06.370S                   | Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, sequela   |
| S06.371A                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.371D                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, subsequent encounter   |
| S06.371S                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, sequela  |
| S06.372A                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.372D                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter                                       |
| S06.372S                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.373A                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter                                      |
| S06.373D                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter                                   |
| S06.373S                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.374A                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.374D                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, subsequent encounter  |
| S06.374S                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.375A                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter    |
| S06.375D                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter |
| S06.375S                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela              |
| S06.376A                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing                                    |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
|                            | conscious level with patient surviving, initial encounter  |
| S06.376D                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.376S                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.379A                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, initial encounter  |
| S06.379D                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.379S                   | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, sequela  |
| S06.380A                   | Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, initial encounter  |
| S06.380D                   | Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, subsequent encounter   |
| S06.380S                   | Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, sequela  |
| S06.381A                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.381D                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, subsequent encounter  |
| S06.381S                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, sequela   |
| S06.382A                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.382D                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter  |
| S06.382S                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.383A                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.383D                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter  |
| S06.383S                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.384A                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.384D                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, subsequent encounter   |
| S06.384S                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.385A                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                               |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S06.385D                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                           |
| S06.385S                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.386A                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.386D                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.386S                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.389A                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, initial encounter  |
| S06.389D                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.389S                   | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, sequela  |
| S06.4X0A                   | Epidural hemorrhage without loss of consciousness, initial encounter  |
| S06.4X0D                   | Epidural hemorrhage without loss of consciousness, subsequent encounter   |
| S06.4X0S                   | Epidural hemorrhage without loss of consciousness, sequela  |
| S06.4X1A                   | Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.4X1D                   | Epidural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter  |
| S06.4X1S                   | Epidural hemorrhage with loss of consciousness of 30 minutes or less, sequela   |
| S06.4X2A                   | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.4X2D                   | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter  |
| S06.4X2S                   | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.4X3A                   | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.4X3D                   | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter  |
| S06.4X3S                   | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.4X4A                   | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.4X4D                   | Epidural hemorrhage with loss of consciousness of 6 hours to 24   |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
|                            | hours, subsequent encounter  |
| S06.4X4S                   | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.4X5A                   | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                              |
| S06.4X5D                   | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                           |
| S06.4X5S                   | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.4X6A                   | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.4X6D                   | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.4X6S                   | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.4X9A                   | Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter  |
| S06.4X9D                   | Epidural hemorrhage with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.4X9S                   | Epidural hemorrhage with loss of consciousness of unspecified duration, sequela  |
| S06.5X0A                   | Traumatic subdural hemorrhage without loss of consciousness, initial encounter   |
| S06.5X0D                   | Traumatic subdural hemorrhage without loss of consciousness, subsequent encounter  |
| S06.5X0S                   | Traumatic subdural hemorrhage without loss of consciousness, sequela   |
| S06.5X1A                   | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.5X1D                   | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter   |
| S06.5X1S                   | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, sequela  |
| S06.5X2A                   | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.5X2D                   | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter   |
| S06.5X2S                   | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.5X3A                   | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter  |
| S06.5X3D                   | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter   |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| S06.5X3S                   | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.5X4A                   | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.5X4D                   | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter  |
| S06.5X4S                   | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.5X5A                   | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                              |
| S06.5X5D                   | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                           |
| S06.5X5S                   | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.5X6A                   | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.5X6D                   | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.5X6S                   | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.5X9A                   | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter  |
| S06.5X9D                   | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.5X9S                   | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, sequela  |
| S06.6X0A                   | Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter   |
| S06.6X0D                   | Traumatic subarachnoid hemorrhage without loss of consciousness, subsequent encounter  |
| S06.6X0S                   | Traumatic subarachnoid hemorrhage without loss of consciousness, sequela   |
| S06.6X1A                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.6X1D                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter   |
| S06.6X1S                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, sequela  |
| S06.6X2A                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.6X2D                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 31   |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
|                            | minutes to 59 minutes, subsequent encounter   |
| S06.6X2S                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.6X3A                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.6X3D                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter  |
| S06.6X3S                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.6X4A                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.6X4D                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter   |
| S06.6X4S                   | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.6X5A                   | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.6X5S                   | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                                     |
| S06.6X6A                   | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.6X9A                   | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter   |
| S06.6X9D                   | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, subsequent encounter  |
| S06.6X9S                   | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, sequela   |
| S06.890A                   | Other specified intracranial injury without loss of consciousness, initial encounter  |
| S06.890D                   | Other specified intracranial injury without loss of consciousness, subsequent encounter   |
| S06.890S                   | Other specified intracranial injury without loss of consciousness, sequela  |
| S06.891A                   | Other specified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.891D                   | Other specified intracranial injury with loss of consciousness of 30 minutes or less, subsequent encounter  |
| S06.891S                   | Other specified intracranial injury with loss of consciousness of 30 minutes or less, sequela   |
| S06.892A                   | Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.892D                   | Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| S06.892S                   | Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.893A                   | Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter  |
| S06.893D                   | Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter   |
| S06.893S                   | Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.894A                   | Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.895A                   | Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                              |
| S06.895D                   | Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter                           |
| S06.895S                   | Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.896A                   | Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.896D                   | Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.896S                   | Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.899A                   | Other specified intracranial injury with loss of consciousness of unspecified duration, initial encounter  |
| S06.899D                   | Other specified intracranial injury with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.899S                   | Other specified intracranial injury with loss of consciousness of unspecified duration, sequela  |
| S06.9X0A                   | Unspecified intracranial injury without loss of consciousness, initial encounter   |
| S06.9X0D                   | Unspecified intracranial injury without loss of consciousness, subsequent encounter  |
| S06.9X0S                   | Unspecified intracranial injury without loss of consciousness, sequela   |
| S06.9X1A                   | Unspecified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.9X1D                   | Unspecified intracranial injury with loss of consciousness of 30 minutes or less, subsequent encounter   |
| S06.9X1S                   | Unspecified intracranial injury with loss of consciousness of 30 minutes or less, sequela  |
| S06.9X2A                   | Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| S06.9X2D                   | Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter   |
| S06.9X2S                   | Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.9X3A                   | Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter  |
| S06.9X3D                   | Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter   |
| S06.9X3S                   | Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.9X4A                   | Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.9X4D                   | Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, subsequent encounter  |
| S06.9X4S                   | Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.9X5A                   | Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                              |
| S06.9X6A                   | Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter    |
| S06.9X6D                   | Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter |
| S06.9X6S                   | Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.9X9A                   | Unspecified intracranial injury with loss of consciousness of unspecified duration, initial encounter  |
| S06.9X9D                   | Unspecified intracranial injury with loss of consciousness of unspecified duration, subsequent encounter   |
| S06.9X9S                   | Unspecified intracranial injury with loss of consciousness of unspecified duration, sequela  |
| S09.90xA                   | Unspecified injury of head, initial encounter  |
| S09.90xD                   | Unspecified injury of head, subsequent encounter   |
| S09.90xS                   | Unspecified injury of head, sequela  |
| S14.0xxA                   | Concussion and edema of cervical spinal cord, initial encounter  |
| S14.101A                   | Unspecified injury at C1 level of cervical spinal cord, initial encounter  |
| S14.101D                   | Unspecified injury at C1 level of cervical spinal cord, subsequent encounter   |
| S14.101S                   | Unspecified injury at C1 level of cervical spinal cord, sequela  |
| S14.102A                   | Unspecified injury at C2 level of cervical spinal cord, initial encounter  |
| S14.102D                   | Unspecified injury at C2 level of cervical spinal cord, subsequent encounter   |
| S14.102S                   | Unspecified injury at C2 level of cervical spinal cord, sequela  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S14.103A                   | Unspecified injury at C3 level of cervical spinal cord, initial encounter             |
| S14.103D                   | Unspecified injury at C3 level of cervical spinal cord, subsequent encounter          |
| S14.103S                   | Unspecified injury at C3 level of cervical spinal cord, sequela                       |
| S14.104A                   | Unspecified injury at C4 level of cervical spinal cord, initial encounter             |
| S14.104D                   | Unspecified injury at C4 level of cervical spinal cord, subsequent encounter          |
| S14.104S                   | Unspecified injury at C4 level of cervical spinal cord, sequela                       |
| S14.105A                   | Unspecified injury at C5 level of cervical spinal cord, initial encounter             |
| S14.105D                   | Unspecified injury at C5 level of cervical spinal cord, subsequent encounter          |
| S14.105S                   | Unspecified injury at C5 level of cervical spinal cord, sequela                       |
| S14.106A                   | Unspecified injury at C6 level of cervical spinal cord, initial encounter             |
| S14.106D                   | Unspecified injury at C6 level of cervical spinal cord, subsequent encounter          |
| S14.106S                   | Unspecified injury at C6 level of cervical spinal cord, sequela                       |
| S14.107A                   | Unspecified injury at C7 level of cervical spinal cord, initial encounter             |
| S14.107D                   | Unspecified injury at C7 level of cervical spinal cord, subsequent encounter          |
| S14.107S                   | Unspecified injury at C7 level of cervical spinal cord, sequela                       |
| S14.109A                   | Unspecified injury at unspecified level of cervical spinal cord, initial encounter    |
| S14.109D                   | Unspecified injury at unspecified level of cervical spinal cord, subsequent encounter |
| S14.111A                   | Complete lesion at C1 level of cervical spinal cord, initial encounter                |
| S14.111D                   | Complete lesion at C1 level of cervical spinal cord, subsequent encounter             |
| S14.111S                   | Complete lesion at C1 level of cervical spinal cord, sequela                          |
| S14.112A                   | Complete lesion at C2 level of cervical spinal cord, initial encounter                |
| S14.112D                   | Complete lesion at C2 level of cervical spinal cord, subsequent encounter             |
| S14.112S                   | Complete lesion at C2 level of cervical spinal cord, sequela                          |
| S14.113A                   | Complete lesion at C3 level of cervical spinal cord, initial encounter                |
| S14.113S                   | Complete lesion at C3 level of cervical spinal cord, sequela                          |
| S14.114A                   | Complete lesion at C4 level of cervical spinal cord, initial encounter                |
| S14.114D                   | Complete lesion at C4 level of cervical spinal cord, subsequent encounter             |
| S14.114S                   | Complete lesion at C4 level of cervical spinal cord, sequela                          |
| S14.115A                   | Complete lesion at C5 level of cervical spinal cord, initial encounter                |
| S14.115D                   | Complete lesion at C5 level of cervical spinal cord, subsequent encounter             |
| S14.115S                   | Complete lesion at C5 level of cervical spinal cord, sequela                          |
| S14.116A                   | Complete lesion at C6 level of cervical spinal cord, initial encounter                |
| S14.116D                   | Complete lesion at C6 level of cervical spinal cord, subsequent                       |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
|                            | encounter   |
| S14.116S                   | Complete lesion at C6 level of cervical spinal cord, sequela                          |
| S14.117A                   | Complete lesion at C7 level of cervical spinal cord, initial encounter                |
| S14.117D                   | Complete lesion at C7 level of cervical spinal cord, subsequent encounter             |
| S14.117S                   | Complete lesion at C7 level of cervical spinal cord, sequela                          |
| S14.119A                   | Complete lesion at unspecified level of cervical spinal cord, initial encounter       |
| S14.121A                   | Central cord syndrome at C1 level of cervical spinal cord, initial encounter          |
| S14.121D                   | Central cord syndrome at C1 level of cervical spinal cord, subsequent encounter       |
| S14.121S                   | Central cord syndrome at C1 level of cervical spinal cord, sequela                    |
| S14.122A                   | Central cord syndrome at C2 level of cervical spinal cord, initial encounter          |
| S14.122D                   | Central cord syndrome at C2 level of cervical spinal cord, subsequent encounter       |
| S14.122S                   | Central cord syndrome at C2 level of cervical spinal cord, sequela                    |
| S14.123A                   | Central cord syndrome at C3 level of cervical spinal cord, initial encounter          |
| S14.123D                   | Central cord syndrome at C3 level of cervical spinal cord, subsequent encounter       |
| S14.123S                   | Central cord syndrome at C3 level of cervical spinal cord, sequela                    |
| S14.124A                   | Central cord syndrome at C4 level of cervical spinal cord, initial encounter          |
| S14.124D                   | Central cord syndrome at C4 level of cervical spinal cord, subsequent encounter       |
| S14.124S                   | Central cord syndrome at C4 level of cervical spinal cord, sequela                    |
| S14.125A                   | Central cord syndrome at C5 level of cervical spinal cord, initial encounter          |
| S14.125D                   | Central cord syndrome at C5 level of cervical spinal cord, subsequent encounter       |
| S14.125S                   | Central cord syndrome at C5 level of cervical spinal cord, sequela                    |
| S14.126A                   | Central cord syndrome at C6 level of cervical spinal cord, initial encounter          |
| S14.126D                   | Central cord syndrome at C6 level of cervical spinal cord, subsequent encounter       |
| S14.126S                   | Central cord syndrome at C6 level of cervical spinal cord, sequela                    |
| S14.127A                   | Central cord syndrome at C7 level of cervical spinal cord, initial encounter          |
| S14.127D                   | Central cord syndrome at C7 level of cervical spinal cord, subsequent encounter       |
| S14.127S                   | Central cord syndrome at C7 level of cervical spinal cord, sequela                    |
| S14.129A                   | Central cord syndrome at unspecified level of cervical spinal cord, initial encounter |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| S14.131A                   | Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter          |
| S14.131D                   | Anterior cord syndrome at C1 level of cervical spinal cord, subsequent encounter       |
| S14.131S                   | Anterior cord syndrome at C1 level of cervical spinal cord, sequela                    |
| S14.132A                   | Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter          |
| S14.132D                   | Anterior cord syndrome at C2 level of cervical spinal cord, subsequent encounter       |
| S14.132S                   | Anterior cord syndrome at C2 level of cervical spinal cord, sequela                    |
| S14.133A                   | Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter          |
| S14.133S                   | Anterior cord syndrome at C3 level of cervical spinal cord, sequela                    |
| S14.134A                   | Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter          |
| S14.134D                   | Anterior cord syndrome at C4 level of cervical spinal cord, subsequent encounter       |
| S14.134S                   | Anterior cord syndrome at C4 level of cervical spinal cord, sequela                    |
| S14.135A                   | Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter          |
| S14.135D                   | Anterior cord syndrome at C5 level of cervical spinal cord, subsequent encounter       |
| S14.135S                   | Anterior cord syndrome at C5 level of cervical spinal cord, sequela                    |
| S14.136A                   | Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter          |
| S14.136D                   | Anterior cord syndrome at C6 level of cervical spinal cord, subsequent encounter       |
| S14.136S                   | Anterior cord syndrome at C6 level of cervical spinal cord, sequela                    |
| S14.137A                   | Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter          |
| S14.137D                   | Anterior cord syndrome at C7 level of cervical spinal cord, subsequent encounter       |
| S14.137S                   | Anterior cord syndrome at C7 level of cervical spinal cord, sequela                    |
| S14.138A                   | Anterior cord syndrome at C8 level of cervical spinal cord, initial encounter          |
| S14.139A                   | Anterior cord syndrome at unspecified level of cervical spinal cord, initial encounter |
| S14.141A                   | Brown-Sequard syndrome at C1 level of cervical spinal cord, initial encounter          |
| S14.142A                   | Brown-Sequard syndrome at C2 level of cervical spinal cord, initial encounter          |
| S14.143A                   | Brown-Sequard syndrome at C3 level of cervical spinal cord, initial encounter          |
| S14.144A                   | Brown-Sequard syndrome at C4 level of cervical spinal cord, initial encounter          |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S14.145A                   | Brown-Sequard syndrome at C5 level of cervical spinal cord, initial encounter             |
| S14.146A                   | Brown-Sequard syndrome at C6 level of cervical spinal cord, initial encounter             |
| S14.147A                   | Brown-Sequard syndrome at C7 level of cervical spinal cord, initial encounter             |
| S14.149A                   | Brown-Sequard syndrome at unspecified level of cervical spinal cord, initial encounter    |
| S14.149D                   | Brown-Sequard syndrome at unspecified level of cervical spinal cord, subsequent encounter |
| S14.149S                   | Brown-Sequard syndrome at unspecified level of cervical spinal cord, sequela              |
| S14.151A                   | Other incomplete lesion at C1 level of cervical spinal cord, initial encounter            |
| S14.152A                   | Other incomplete lesion at C2 level of cervical spinal cord, initial encounter            |
| S14.153A                   | Other incomplete lesion at C3 level of cervical spinal cord, initial encounter            |
| S14.154A                   | Other incomplete lesion at C4 level of cervical spinal cord, initial encounter            |
| S14.155A                   | Other incomplete lesion at C5 level of cervical spinal cord, initial encounter            |
| S14.156A                   | Other incomplete lesion at C6 level of cervical spinal cord, initial encounter            |
| S14.157A                   | Other incomplete lesion at C7 level of cervical spinal cord, initial encounter            |
| S14.158A                   | Other incomplete lesion at C8 level of cervical spinal cord, initial encounter            |
| S14.159A                   | Other incomplete lesion at unspecified level of cervical spinal cord, initial encounter   |
| S24.101A                   | Unspecified injury at T1 level of thoracic spinal cord, initial encounter                 |
| S24.101D                   | Unspecified injury at T1 level of thoracic spinal cord, subsequent encounter              |
| S24.101S                   | Unspecified injury at T1 level of thoracic spinal cord, sequela                           |
| S24.102A                   | Unspecified injury at T2-T6 level of thoracic spinal cord, initial encounter              |
| S24.102D                   | Unspecified injury at T2-T6 level of thoracic spinal cord, subsequent encounter           |
| S24.102S                   | Unspecified injury at T2-T6 level of thoracic spinal cord, sequela                        |
| S24.103A                   | Unspecified injury at T7-T10 level of thoracic spinal cord, initial encounter             |
| S24.103D                   | Unspecified injury at T7-T10 level of thoracic spinal cord, subsequent encounter          |
| S24.103S                   | Unspecified injury at T7-T10 level of thoracic spinal cord, sequela                       |
| S24.104A                   | Unspecified injury at T11-T12 level of thoracic spinal cord, initial                      |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
|                            | encounter   |
| S24.104D                   | Unspecified injury at T11-T12 level of thoracic spinal cord, subsequent encounter     |
| S24.104S                   | Unspecified injury at T11-T12 level of thoracic spinal cord, sequela                  |
| S24.109A                   | Unspecified injury at unspecified level of thoracic spinal cord, initial encounter    |
| S24.109D                   | Unspecified injury at unspecified level of thoracic spinal cord, subsequent encounter |
| S24.111A                   | Complete lesion at T1 level of thoracic spinal cord, initial encounter                |
| S24.111D                   | Complete lesion at T1 level of thoracic spinal cord, subsequent encounter             |
| S24.111S                   | Complete lesion at T1 level of thoracic spinal cord, sequela                          |
| S24.112A                   | Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter             |
| S24.112D                   | Complete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter          |
| S24.112S                   | Complete lesion at T2-T6 level of thoracic spinal cord, sequela                       |
| S24.113A                   | Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter            |
| S24.113D                   | Complete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter         |
| S24.113S                   | Complete lesion at T7-T10 level of thoracic spinal cord, sequela                      |
| S24.114A                   | Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter           |
| S24.114D                   | Complete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter        |
| S24.114S                   | Complete lesion at T11-T12 level of thoracic spinal cord, sequela                     |
| S24.119A                   | Complete lesion at unspecified level of thoracic spinal cord, initial encounter       |
| S24.131A                   | Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter         |
| S24.131D                   | Anterior cord syndrome at T1 level of thoracic spinal cord, subsequent encounter      |
| S24.131S                   | Anterior cord syndrome at T1 level of thoracic spinal cord, sequela                   |
| S24.132A                   | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter      |
| S24.132D                   | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter   |
| S24.132S                   | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, sequela                |
| S24.133A                   | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter     |
| S24.133D                   | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter  |
| S24.133S                   | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, sequela               |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S24.134A                   | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter        |
| S24.134D                   | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter     |
| S24.134S                   | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, sequela                  |
| S24.139A                   | Anterior cord syndrome at unspecified level of thoracic spinal cord, initial encounter    |
| S24.141A                   | Brown-Sequard syndrome at T1 level of thoracic spinal cord, initial encounter             |
| S24.141S                   | Brown-Sequard syndrome at T1 level of thoracic spinal cord, sequela                       |
| S24.142A                   | Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, initial encounter          |
| S24.142S                   | Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, sequela                    |
| S24.143A                   | Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, initial encounter         |
| S24.143S                   | Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, sequela                   |
| S24.144A                   | Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, initial encounter        |
| S24.144S                   | Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, sequela                  |
| S24.149A                   | Brown-Sequard syndrome at unspecified level of thoracic spinal cord, initial encounter    |
| S24.149D                   | Brown-Sequard syndrome at unspecified level of thoracic spinal cord, subsequent encounter |
| S24.149S                   | Brown-Sequard syndrome at unspecified level of thoracic spinal cord, sequela              |
| S24.151A                   | Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter            |
| S24.151D                   | Other incomplete lesion at T1 level of thoracic spinal cord, subsequent encounter         |
| S24.151S                   | Other incomplete lesion at T1 level of thoracic spinal cord, sequela                      |
| S24.152A                   | Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter         |
| S24.152D                   | Other incomplete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter      |
| S24.152S                   | Other incomplete lesion at T2-T6 level of thoracic spinal cord, sequela                   |
| S24.153A                   | Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter        |
| S24.153D                   | Other incomplete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter     |
| S24.153S                   | Other incomplete lesion at T7-T10 level of thoracic spinal cord, sequela                  |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description   |
|----------------------------|---|
| S24.154A                   | Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter     |
| S24.154D                   | Other incomplete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter  |
| S24.154S                   | Other incomplete lesion at T11-T12 level of thoracic spinal cord, sequela               |
| S24.159A                   | Other incomplete lesion at unspecified level of thoracic spinal cord, initial encounter |
| S34.01xA                   | Concussion and edema of lumbar spinal cord, initial encounter                           |
| S34.02xA                   | Concussion and edema of sacral spinal cord, initial encounter                           |
| S34.02xD                   | Concussion and edema of sacral spinal cord, subsequent encounter                        |
| S34.02xS                   | Concussion and edema of sacral spinal cord, sequela                                     |
| S34.101A                   | Unspecified injury to L1 level of lumbar spinal cord, initial encounter                 |
| S34.101D                   | Unspecified injury to L1 level of lumbar spinal cord, subsequent encounter              |
| S34.101S                   | Unspecified injury to L1 level of lumbar spinal cord, sequela                           |
| S34.102A                   | Unspecified injury to L2 level of lumbar spinal cord, initial encounter                 |
| S34.102D                   | Unspecified injury to L2 level of lumbar spinal cord, subsequent encounter              |
| S34.102S                   | Unspecified injury to L2 level of lumbar spinal cord, sequela                           |
| S34.103A                   | Unspecified injury to L3 level of lumbar spinal cord, initial encounter                 |
| S34.103D                   | Unspecified injury to L3 level of lumbar spinal cord, subsequent encounter              |
| S34.103S                   | Unspecified injury to L3 level of lumbar spinal cord, sequela                           |
| S34.104A                   | Unspecified injury to L4 level of lumbar spinal cord, initial encounter                 |
| S34.104D                   | Unspecified injury to L4 level of lumbar spinal cord, subsequent encounter              |
| S34.104S                   | Unspecified injury to L4 level of lumbar spinal cord, sequela                           |
| S34.105A                   | Unspecified injury to L5 level of lumbar spinal cord, initial encounter                 |
| S34.105D                   | Unspecified injury to L5 level of lumbar spinal cord, subsequent encounter              |
| S34.105S                   | Unspecified injury to L5 level of lumbar spinal cord, sequela                           |
| S34.109A                   | Unspecified injury to unspecified level of lumbar spinal cord, initial encounter        |
| S34.109S                   | Unspecified injury to unspecified level of lumbar spinal cord, sequela                  |
| S34.111A                   | Complete lesion of L1 level of lumbar spinal cord, initial encounter                    |
| S34.111D                   | Complete lesion of L1 level of lumbar spinal cord, subsequent encounter                 |
| S34.112A                   | Complete lesion of L2 level of lumbar spinal cord, initial encounter                    |
| S34.112D                   | Complete lesion of L2 level of lumbar spinal cord, subsequent encounter                 |
| S34.113A                   | Complete lesion of L3 level of lumbar spinal cord, initial encounter                    |
| S34.113D                   | Complete lesion of L3 level of lumbar spinal cord, subsequent encounter                 |

| ICD-10 CM - Diagnosis Code | ICD-10 CM - Diagnosis Description  |
|----------------------------|--|
| S34.114A                   | Complete lesion of L4 level of lumbar spinal cord, initial encounter             |
| S34.114D                   | Complete lesion of L4 level of lumbar spinal cord, subsequent encounter          |
| S34.115A                   | Complete lesion of L5 level of lumbar spinal cord, initial encounter             |
| S34.115D                   | Complete lesion of L5 level of lumbar spinal cord, subsequent encounter          |
| S34.119A                   | Complete lesion of unspecified level of lumbar spinal cord, initial encounter    |
| S34.119D                   | Complete lesion of unspecified level of lumbar spinal cord, subsequent encounter |
| S34.121A                   | Incomplete lesion of L1 level of lumbar spinal cord, initial encounter           |
| S34.121D                   | Incomplete lesion of L1 level of lumbar spinal cord, subsequent encounter        |
| S34.121S                   | Incomplete lesion of L1 level of lumbar spinal cord, sequela                     |
| S34.122A                   | Incomplete lesion of L2 level of lumbar spinal cord, initial encounter           |
| S34.122D                   | Incomplete lesion of L2 level of lumbar spinal cord, subsequent encounter        |
| S34.122S                   | Incomplete lesion of L2 level of lumbar spinal cord, sequela                     |
| S34.123A                   | Incomplete lesion of L3 level of lumbar spinal cord, initial encounter           |
| S34.123D                   | Incomplete lesion of L3 level of lumbar spinal cord, subsequent encounter        |
| S34.123S                   | Incomplete lesion of L3 level of lumbar spinal cord, sequela                     |
| S34.124A                   | Incomplete lesion of L4 level of lumbar spinal cord, initial encounter           |
| S34.124D                   | Incomplete lesion of L4 level of lumbar spinal cord, subsequent encounter        |
| S34.125A                   | Incomplete lesion of L5 level of lumbar spinal cord, initial encounter           |
| S34.129A                   | Incomplete lesion of unspecified level of lumbar spinal cord, initial encounter  |
| S34.131A                   | Complete lesion of sacral spinal cord, initial encounter                         |
| S34.131D                   | Complete lesion of sacral spinal cord, subsequent encounter                      |
| S34.131S                   | Complete lesion of sacral spinal cord, sequela                                   |
| S34.132A                   | Incomplete lesion of sacral spinal cord, initial encounter                       |
| S34.132D                   | Incomplete lesion of sacral spinal cord, subsequent encounter                    |
| S34.132S                   | Incomplete lesion of sacral spinal cord, sequela                                 |
| S34.139A                   | Unspecified injury to sacral spinal cord, initial encounter                      |
| S34.139D                   | Unspecified injury to sacral spinal cord, subsequent encounter                   |
| S34.139S                   | Unspecified injury to sacral spinal cord, sequela                                |
| S34.3xxA                   | Injury of cauda equina, initial encounter  |
| S34.3xxD                   | Injury of cauda equina, subsequent encounter                                     |
| S34.3xxS                   | Injury of cauda equina, sequela  |